

UL Online Certifications Directory

HHXX.EX9141

Fittings, Cast Iron, Ductile Iron, Malleable Iron and Bronze

CRANE FLUID SYSTEMS

EX9141

NACTON RD

IPSWICH, SUFFOLK IP3 9QH UNITED KINGDOM

Malleable Iron Fittings, BS EN 10242:1995, Incorporating Amendments A1, April 1999 and A2, March 2003.

Model/Fig.	Configuration	Size (in.)	Rated Pressure (psig)
140	Hexagon Bush	1/2x1/8, 1/2x1/4, 1/2x3/8, 3/4x1/4, 3/4x3/8, 3/4x1/2, 1x1/4, 1x3/8, 1x1/2, 1x3/4, 1.1/4x1/2, 1.1/4x3/4, 1.1/4x1, 1.1/2x1/2, 1.1/2x3/4, 1.1/2x1, 1.1/2x1.1/4, 2x1/2, 2x3/4, 2x1, 2x1.1/4, 2x1.1/2, 2.1/2x1, 2.1/2x1.1/4, 2.1/2x1.1/2, 2.1/2x2, 3x1, 3x1.1/4, 3x1.1/2, 3x2, 3x2.1/2, 4x2, 4x2.1/2, 4x3	362
144	Hexagon Nipple	1/2, 3/4	362
145	Hexagon Nipple	1/2x1/4, 3/4x3/8, 3/4x1/2, 1x1/2, 1x3/4, 1.1/4x3/4, 1.1/4x1, 1.1/2x1, 1.1/2x1.1/4, 2x1, 2x1.1/4, 2x1.1/2, 2.1/2x2, 3x2, 3x2.1/2	362
146	Beaded Plug - Solid	1/2, 3/4, 1, 1,1/4, 1.1/2, 2	362
147	Plain Plug - Hollow	1/2, 3/4, 1, 1,1/4, 1.1/2, 2, 2.1/2, 3, 4	362
148	Plain Plug - Solid	3/8, 1/2, 3/4, 1, 1,1/4, 1.1/2, 2	362
149	Countersunk Plug	1/2, 3/4, 1	362
150	Backnut	3/8, 1/2, 3/4, 1, 1,1/4, 1.1/2, 2, 2.1/2, 3	362
151	Elbow - Equal	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1,1/4, 1.1/2, 2, 2.1/2, 3, 4, 5, 6	362
151	Elbow - Reducing	3/8x1/4, 1/2x3/8, 3/4x1/2, 1x1/2, 1x3/4, 1.1/4x3/4, 1.1/4x1, 1.1/2x1, 2x1.1/2,	362
152	M & F Elbow - Equal	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1,1/4, 1.1/2, 2, 2.1/2, 3, 4	362
152	M & F Elbow - Red	3/4 x 1/2, 1 x 3/4	362

155	45 Degree Elbow	1/2, 3/4, 1, 1,1/4, 1.1/2, 2	362
156	45 Deg M & F Elbow	3/8, 1/2, 3/4, 1, 1,1/4, 1.1/2, 2	362
161	Tee - Equal	1/8, 1/4, 3/8, 1/2, 3/4, 1, 1,1/4, 1.1/2, 2, 2.1/2,3, 4,5,6	362
161	Tee Increasing on Branch	1/2x3/4, 3/4x1, 1x1.1/4, 1x1.1/2, 1.1/4x2, 1.1/2x2,	362
161	Tee - Reducing on Branch	3/8x1/4, 1/2x1/4, 1/2x3/8, 3/4x1/4, 3/4x3/8, 3/4x1/2, 1x1/4, 1x3/8, 1x1/2, 1x3/4, 1.1/4x1/2, 1.1/4x3/4, 1.1/4x1, 1.1/2x1/2, 1.1/2x3/4, 1.1/2x1, 1.1/2x1.1/4, 2x1/2, 2x3/4, 2x1, 2x1.1/4, 2x1.1/, 2.1/2x1, 2.1/2x1.1/4, 2.1/2x1.1/2, 2.1/2x2, 3x1, 3x1.1/4, 3x1.1/2, 3x2, 3x2.1/2, 4x2, 4x3	362
161	Tee - Reducing on Run	3/4x1/2x3/4, 1x1/2x1, 1x3/4x1, 1.1/4x1/2x1.1/4, 1.1/4x3/4x1.1/4, 1.1/4x1x1.1/4, 1.1/2x1/2x1.1/2, 1.1/2x3/4x1.1/2, 1.1/2x1x1.1/2, 2x3/4x2, 2x1x2, 2x1.1/2x2,	362
161	Tee - Reducing on Run and Branch	1/2x3/3x3/8, 3/4x1/2x1/2, 1x3/4x1/2, 1x1/2x1/2, 1x3/4x3/4, 1.1/4x1x1/2, 1.1/4x1x3/4, 1.1/4x1x1, 1.1/2x1x1, 1.1/2x1.1/4x1/2, 1.1/2x1.1/4x1, 1.1/2x1.1/4x1.1/4, 2x1.1/2x3/4, 2x1.1/2x1, 2x1.1/2x1.1/4, 2x1.1/2x1.1/2	362
171	Cross	3/8, 1/2, 3/4, 1, 1,1/4, 1.1/2, 2, 2.1/2,3, 4	362
177	Socket	1/4, 3/8, 1/2, 3/4, 1, 1,1/4, 1.1/2, 2, 2.1/2,3, 4	362
185	Cap	1/2, 3/4, 1, 1,1/4, 1.1/2, 2, 2.1/2,3, 4	362
192	M & F Short Bend	1/4, 3/8, 1/2, 3/4, 1, 1,1/4, 1.1/2, 2,	362
193	Short Bend	1/4, 3/8, 1/2, 3/4, 1, 1,1/4, 1.1/2, 2,	362
197	Twin Elbow	1/2, 3/4, 1, 1,1/4, 1.1/2, 2	362
199	Pitcher Tee - Equal	1/2, 3/4, 1, 1,1/4, 1.1/2, 2	362
199	Pitcher Tee - Reducing on Branch	3/4x1/2, 1x1/2, 1x3/4, 1.1/4x1/2, 1.1/4x3/4, 1.1/4x1, 1.1/2x3/4, 1.1/2x1, 1.1/2x1.1/4, 2x1, 2x1.1/4, 2x1.1/2,	362
199	Pitcher Tee - Reducing on Run and Branch	3/4 x 1/2 x 1/2, 1x3/4x1/2, 1x3/4x3/4	362
199	Pitcher Tee - Reducing on Run	3/4x1/2x3/4	362

Last Updated on 2008-11-12

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2010 Underwriters Laboratories Inc.®"